

Mobile Media Solutions





∧ MUTE €



8-Inch Audio/Video/Navigation Receiver



• 8" Large WVGA Touch Screen Display with LED Backlighting • DVD±R/±RW/CD-R/RW/MP3/WMA/AAC/DivX Playback • Bluetooth Built-in for Hands-free Phone and Audio Streaming • HD Radio with Smart Reception Management • 50W x 4 High Power Amp • High Accuracy Navigation System Built-in • Hybrid Positioning Sensor System • Voice Guidance and Text to Speech (TTS) • High Resolution Maps with Anti-aliasing and 3D Landmark Icons • 3D City Map • USB Connection (Music/Video Playback Compatible) • 1.5m USB Cable Included • Made for iPod and iPhone (KCU-461iV included) • Siri Eyes Free Mode • My Favorites Setup • Automatic Personal Setting Change Function • Easy Sound Setup by Car Type • 24-bit DAC • 9-Band Parametric EQ • 6-Channel Digital Time Correction • High Pass Filter & Low Pass Filter • MediaXpanderTM • Preset Equalizer (10 modes) • Subwoofer Control Functions • 3 PreOuts (4V High Voltage) • Live Contrast Function • VisualEQ Function • 2 AUX Inputs / 1 AUX Output • 1 HDMI Input • Optical Digital Output • Rearview Camera Distance Guide Display • 5 Color Wallpaper Selection (Blue/Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 2.0 App Integration • iDataLink Maestro Ready



INE-Z928HD

INE-Z928HD

8-Inch Audio/Video/Navigation Receiver

8" Large Wideo And Such Screen Display with LED Backlighting * DVD±R/±RW/CD-RFMW/MP3/MMA/AC/DNX Playback * Bluetooth Built-in for Hands-free Phone and Audio Streening * HD Raido with Smart Reception Management * 50W x 4 High Power Amp * High Accuracy Navigation System Built-in * Hybrid Positioning Sensor System * Voice Guidance and Text to Speech (TTS) * High Resolution Maps with Anti-aliasing and 3D Landmark Lorns * 3D City Map * USB Connection (MusicvVideo Playback Compatible) * 1.5m USB Zoble Included * Male for IPAO and EPhone (RCU-461N Included) * 3T Eyes Free Mode * My Favorites Setup * Automatic Presensil Setting Change Function * Sess Sound Setup by Car Type * 24-bit DAC * 9-Band Parametric EQ * 6-Channel Digital Time Correction * High Pass Filler & Low Pass Filler * A Wediakpander" * Preset Equalizer (10 modes) * Subvoofer Control Function * 9 Subvoofer Control Functions * 3 PreCluts (4V High Voltage) * Live Contrast Function * VsualEG Function * 5 AVX Inputs * 1 AUX Output * Renerview Carrera Distance Guide Display * 5 Color Walpaper Selection (Blue/Fed/Amber/Greer/Black) * Multi Language Menu Display (Tim, Arabic, and Chinese Inducion) * Wireless Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel Renote Control Ready * Viveriess Remote Control Ready * Steering Wheel



INE-W940

INE—W940

8 1-Inch Audiovidaco/Navigation Receiver

• 6 11 WiGA Touch Screen Display with LED Backlighting • DVD±R4EWICD-R/
RWMB3WMAWAACDIN/R Psychock • Blueboth Bull-In for Hards-free Phone and
Audio Streaming • 50W × 4 High Power Amp • High Accuracy Navigation System
Bulli-in • Violes Guidance and Tate to Speech (TIS) • High Resolution Maps with
Anti-Blasing and 3D Landmark Icons • USB Connection • Musicivideo Psyback
Compatible) • 15m USB Cable Included • Made for IPod and Phone (requires
ICCU-46HV) • App Direct Mode • 24-bit DAC • 9-Band Parametric E0 • 6-Channel
Bigital Time Correction • High Pass Filter • & Low Plass Filter • Medickpander™ •
Preset Equalizer (10 modes) • Subwooler Control Functions • 3 PreOuts (2V) • Live
Contrast Function • Visual© Touchion • 1 AUD fund • Rearview Camera Distance
Guide Display • 5 Color Wellpaper Selection (Blue/Red/Amber/Green/Black) • Multi
Language Menu Display (Tita) • Arabic, and Chrisce Included) • Wireless Remote
Control Ready • Steering Wheel Remote Control Ready



INE-W957HD

INE-W957HD
7-Inch Audio/Video/Navigation Receiver
7 **WAR Touch Screen Display with LED Backlighting * DVD±R/±RW/CD-R/
RW/MR3/WMA/AC/DixX Playback * Bluetooth Built-in for Hands-Fice Phone
and Audio Streening * HD Radio with Smart Reception Management * 50M × 4
High Power Amp * High Accuracy Navigation System Built-in * Hybrid Positioning
Sensor System * Voice Guidance and Text to Speech (TIS) * High Resolution
Maps with Anti-aliasing and 3D Landmark Loons * 3D City Map * USB Connection
(Musicv/Ideo Payback Compatible) * 1.5m USB Cable Included * Made for IPcd
and IPhone (RCU-4611t) included) * Sir Lyes Free Mode * App Direct Mode * My
Favorities Setup * Automatic Personal Setting Change Function * Easy Sound
Setup by Car Type * 24-bit DAC * 9-Bland Parametric E0 * 6-Channel Digital
Time Correction * High Pass Filter & Lour Pass Filter * Media/Sanderi** * Preset
Equalizer (10 modes) * Subwooter Control Functions * 3 PreCuts (4V High Voltage)
* Live Contrest Function * Voltage Contre Voltage Punction*
1 HDMI Input * Dual Zone Video Ready * Optical Digital Output * Rearview Camera
Distance Guide Display * 5 Cotio Wallapaer * Selection (Blue-Rei-Armber/Geren'
Black) * Multi Language Merru Display (That, Arabic, and Chinese Included) *
Wireless Remoile Opintor Ready * Steering Wheel Remote Control Ready * Tunett 2.0
App Integration * DataLink Masstor Ready



IVE-W555BT

IVE.—W5.55BT

6.1-Inch Audrün/Video JVD Receiver

6.1: WIGG-Truit Problem Propriet Problem Pro



INE-W927HD

INE-W927HD
7-Inch Audio/Video/Waiyation Receiver
7* WNGA Touch Screen Display with LED Backlighting * DVD±R/±RWCD-R/
RWMR9/WMMAAC/DWX Playback * Bluetooth Built-in for Hands-free Phone
and Audio Streening * HD Raido with Smart Reception Management * 50W x 4
High Power Amp * High Accuracy Navigation System Built-in * Hybrid Positioning
Sensor System * Voice Guidaince and Text to Speech (TIS) * High Resolution
Maps with Anti-aliasing and 3D Landmark Icons * 3D City Map * USB Connection
MusicVideo Psyback Compatible * 1.5m USB Colle Included * Made for Pod
and Phone (KCU-461Nf Included) * Sit Eyes Free Mode * App Direct Mode * My
Favorities Strup * Automatic Personal Setting Change Function * Easy Sound
Setup by Carr Type * 24-bit DAC * 9-Band Parametric E0 * 6-Channel Digital
Time Correction * High Pass First & Low Pass File * Medackproder* Persest
Equalizer (10 modes) * 5-Subwooler Control Functions * 3 PreCuts (4V High Visitige)
* Live Contrast Function * Visualico Function * 5 AW Ni (rigus) * 1-AW Cought * AW Nicroless * 1-AW Cought * AW Nicroless * 1-AW Cought * 1-AW Cought * New Text * 1-AW Cought * 1



ics-X7HD

ICS-A/FID
In-Dash App Receiver

* 77 WKOA froach Screen libelary with LED Backlighting * Mech-less * MP2WMAV
AC/Dix/ Playback * Siri Ispes Free Mode * Bluetooth Bullt-In for Hands-free Phone
and Audio Streaming * + HD Radio with Smart Reception Management * 50W x 4
High Power Amp * 1928 Cambotion Ministo/Video Playback Compatible) * 1.5m
USB Cable Included * Made for Pod and Inhone (requires KCU-46Till) * Sir Ispes
Free Mode * App Direct Mode * 24-bit IbAC * 9-Band Parametric EO * 6-Chamel
Digital Time Correction * + high Pass Filter * & Low Plass Filter * North Pass Filter * North Pass Filter * Story Pass Filter * North Pass Filter * Low Plass Filter * Model Spradio * 100 * Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready

X009-GM

9-Inch Audio/Video/Navigation Receiver For Select 2007-2014 GM Trucks & SUV's













Red/Amber/Green/Black) • Multi Language Menu Display (Thai, Arabic, and Chinese Included) • Wireless Remote Control Ready • Steering Wheel Remote Control Ready • Tunelt 2.0 App Integration • iDataLink Maestro Ready (module

Drive Assist Solutions





HCE-C104 Rear View Camera

tic imaging function: metering and white adjustment • Mirror image (NTSC) • tic view mode change (with optional VPX-• Angle of field: horizontal 132°, vertical







HCE-C125 Rear View Camera

Automatic imaging function: metering and white balance adjustment • Mirror image (NTSC) • Zamera dimensions: W 23.4mm x H 23.4mm x D 19.3mm • Black-box dimensions: W 10.0mm K H 50mm x D 25mm • Angle of flield: horizontal 127°, vertical 101° • Standard RCA and Direct connectivity • better low light performance



KTX-C10LP

INIA-UILLE
License Plate Camera Mounting Kit
High quality cast metal frame with rust free coating
Adjustable Till Aggle up to 45 degree * Built - IN LEDs
increase yetality * Mounts using factory screw holes * Works
with HCE-C105, HCE-C1070, HCE-C200F, HCE-C200F,
HCE-G300F, HCE-305F, HCE-C210FD, HCE-C210F,
HCE-C105, HCE-C10FD, HCE-212F, HCE-305F, HCE-C155,
and HCE-C157.



HCE-C210RD

Multi-View Rear View Camera System
4 viewing modes: corner view, ground view, panorama view, re view • Automatic imaging function: metering and while balan adjustment • Mirror image RTSG) • Camera dimensions: W234 rx x H 23.4mm x D 21.3mm • Angle of field: horizontal 185°, verti



HCE-C212F

Witt-View Front Camera Expansion Kit

Ultra wide angle camera with mounting kit • 3 viewing modes: corner view, ground view, pancarna view • includes control switch and black-box • Automatic inarging function: metering and white belance adjustment • Camera dimensions: W 23-4mm x H 23-4mm x D 27-3mm • Black-box dimensions: W 23-4mm x H 50-4mm x D 25mm • Angle of field: horizontal 185°, vertical 144°



HCE-C305R Active View™ Rear Camera System

Ultra wide angle, multi-view camera with remounting kit - Active view camera with mounting kit - Active obstacle warning system that detects moving objects such as pedestriars and verbicles - Visual and acoustic driver warning - Adjustable multi-colour distance guides - 4 viewing modes: corner view, ground view, panorama view, rear view - Includes control switch, warning sound module and black-box - Angle of field: horizontal 190°, vertical 150° - Automatic imaging function: metering and write balance adjustment - Mirror image (NTSC) - Includes direct camera connection and standard RCA connectivity.



HCE-C155

Wide View Rear View Camera

Jitra wide angle, multi-view camera with mounting kit • Angle of field: corizontal 190°, vertical 150° • Automatic imaging function: Metering and white balance adjustment • Mirror image (NTSC) • Standard RCA connectivity





HCE-C157D Wide View Rear View Camera

Ultra wide angle, multi-view camera with mounting kit * Angle of field: horizontal 190°, vertical 150° * Automatic imaging function: Metering and white belance adjustment * Mirror image (NTSC) * Works with products featuring Direct Camera Input



VPX-B104R VPASS Parking Sensor System

Automatically detects objects behind vehicle • 4 high performance ultra-sortic sensors ipartable) • 3 color visible warning area and distance displayed on screen • Prebse monitoring of 3 minutual zones; behind the vehicle • Automatic ground view change when paired with HCE-C104 • Universal add-on parking sensor system can be used with any rear view comera • Cable lengths - 5 Feet (1.5 Meters) from closest sensor, 11 Feet (3.4 Meters) from farthest sensor



KWE-104PS VPASS Extension Cable

Extension cable for VPX-B104R VPASS parking sensor system • 16 Feet (5 Meters) • A maximum of 3 may be connected in series



Kit designed specifically for INE-Z928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary

• Excludes JBL systems • Also available as kit only with no wiring harness, as the KTX-TND8-K



2007+ Dodge/Mercedes-Benz **Sprinter**

KTX-SPT8-K cifically for INE-Z928HD and X008U •



2009+ Ford F-150 KTX-FPU8

KTX-FPU8
KIT designed specifically for INE-2928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring tamess, as the KTX-FPU8-K



2007+ GM Truck and SUV

KTX-GM8W-0

Kit designed specifically for INE-2928HD and X008U * Plug and play
harmass for easy installation into vehicle * Includes steering wheel control
interface with no programming necessary - Asc available as kit only with
no wring harmass, as the KTX-GM9W-K.



Select Ford Vehicles

s mount to side of head unit



2009+Toyota RAV4

ZUUSH TOYOUR TIME TKITK-RV8-S

Kit designed specifically for INE-Z928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring harness, as the KTX-RV48-K



2007+ GM Truck and SUV

KTX-GM88-0

Kit designed specifically for INE-Z928HD and X008U * Plug and play bitmess for easy installation into vehicle * Includes steering wheel control inhumbers ow thin or programming necessary * Also available as kit only with no wing liamses, as the KTX-GM8S-K



2008-2012 Ford Escape, 2008-2012 Mercury Mariner, 2008-2011 Mazda **Tribute**

KIX-ECPB
Kit designed specifically for INE-2928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring harness, as the KTX-ECPB-K



2012+ Toyota Tacoma

KTX-TCM8-S
Kit designed specifically for INE-2928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Excludes JBL systems • Also available as kit only with no wiring harness, as the KTX-TCM8-K



2007+ GM Truck and SUV

KTX-GM8-0

Kit designed specifically for INE-2928HD and X008U * Plug and play hardess for easy installation into vehicle * Includes steering wheel control interface with no programming necessary * Also available as kit only with no wing harmess, as the KTX-GMS-W.





2010-2012 Ford Fusion & 2008-2012 Mercury Milan

KTX-FUS8

Kit designed specifically for INE-Z928HD and X008U • Plug and play harmess for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wing harmess, as the KTX-EUS8-K



2012+ Mazda 3
KTX-M38
KI designed specifically for INE-Z928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring harness, as the KTX-M38-K



2012+ Toyota Camry
KTX-CMY8-S
KI designed specifically for INE-Z929HD and X008U * Plug and play
harness for easy installation into vehicle * Includes steering wheel control
interface with no programming necessary * Excludes JEL systems * Also
available as its forly with no wiring harness, as the KTX-CMY8-K



2010+ Ford Mustang

K I.X-M1GB
Kit designed specifically for INE-Z928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Touchscreen HVAC controls • Also available as kit only with no wiring harness, as the KTX-M1G8-K



2013+ Nissan Altima
KTX-ALT58
KI designed specifically for INE-7928HD and X008U • Plug and play
harness for easy installation into vehicle • Includes steering wheel control
interface with no programming necessary • Works with section only • Also
available as kit only with no wiring harness, as the KTX-ALT58-K



2009+ Toyota Prius

KTA-PHS8-5
KIT designed specifically for INE-2928HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Excludes JBL systems • Also available as kit only with no wiring harness, as the KTX-PHS8-K.



2011+ Kia Optima KTX-OPT8

KIX-OP18
Kit designed specifically for INE-Z928HD and X009U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wiring harness, as the KTX-OP18-K



2007-2012 Nissan Altima
KTX-ALT48
KI designed specifically for INE-7928HD and X008IJ • Plug and play
harness for easy installation into vehicle • Includes steering wheel control
interface with no programming necessary • Also available as kit only with
no wiring harness, as the KTX-ALT48-K



2011+ Volkswagen Jetta & 2012+ Volkswagen Passat

KTX-VW8
RI designed specifically for INE-Z929HD and X008U • Plug and play harness for easy installation into vehicle • Includes steering wheel control interface with no programming necessary • Also available as kit only with no wing harness, as the KTX-VW8-K

Perfect FIT Compatiblity Chart

Perfect Fit Model #	Make	Compatible Vehicles	Year
KTX-ALT48	Nissan	Altima	2007-2012
KTX-ALT58	Nissan	Altima (Sedan Only)	2013+
KTX-CMY8-S	Toyota	Camry (Excluding JBL systems)	2012+
KTX-ECP8	Ford	Escape	2008-2012
KTX-FPU8	Ford	F-150 (not compatible with navigation package)	2009+
KIXII OO	Mazda	Tribute	2008-2011
KTX-FUS8	Mercury	Mariner	2008-2012
	Ford	Fusion	2010-2012
	Mercury	Milan	2010-2011
KTX-GM8-O/	•		
KTX-GM8S-O/	Chevrolet	Avalanche	2007+
KTX-GM8W-O			
	Chevrolet	Silverado (LT Models Only) 1500-3500 Pickup	2007+
	Chevrolet	Suburban	2007+
	Chevrolet	Tahoe	2007+
	GMC	Sierra (LT Models Only) 1500-3500 Pickup	2007+
	GMC	Yukon	2007+
	GMC	Yukon XL	2007+
KTX-M38	Mazda	3 (Excluding Bose systems)	2012+
KTX-MTG8	Ford	Mustang	2010+
KTX-OPT8	Kia	Optima	2011+
VTV DDCG C	Tayata	Prius (Excluding C, V, and models with factory	2009+
KTX-PRS8-S	Toyota	navigation or JBL)	2009+
KTX-RV48-S	Toyota	RAV4 (Excluding JBL systems)	2009+
KTX-SPT8	Dodge/Mercedes-Benz	Sprinter	2007+
KTX-TCM8-S	Toyota	Tacoma (Excluding JBL systems)	2012+
KTX-TND8	Toyota	Tundra (Excluding JBL systems)	2007+
KTX-VW8	Volkswagen	Jetta	2011+
	Volkswagen	Passat	2012+

Great for custom Perfect FIT solutions



KTX-UTB8 Universal Trim Bezel Bezel designed specifically for INE-Z928HD



CDE-HD149BT

Advanced Bluetooth® CD/HD Radio Receiver













• 50W x 4 High Power Amp • Tunett App Ready • Android Pandora Control • HD Radio with Smart Reception Management • Built-in Bluetooth Module • Advanced Bluetooth Functions (BT Plus) • BT Audio Streaming • SiriusXM SXV200 Ready • CD-R/RW/MP3/ WMA/AAC Playback • Rear USB with included USB extension Cable • Made for iPod and iPhone • App Direct Mode • 9-Band Graphic EQ • 6-channel Time Correction • 3-way Crossover • MediaXpander • 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (4V) • Hands-free Microphone Included • Quad-Illumination • 3-Line Display



CDE-HD148BT

CDE-HD148BI
Advanced Bluetooth® CD/HD Radio Receiver

• 50W x 4 High Power Amp • Tunelt App Ready • Android Pandora Control • HD
Radio with Smart Reception Maragement • Bull-in Bluetooth Module • Advanced
Bluetooth Functions (BT Puls) • BT Audio Streaming • Shizski SW200 Ready

• CD-RYRW/MF3/MWA/AAC Playback • Rear USB with included USB extension
Cable • Made for IPOd and Pilhone • Front ALK Input (3.5mm mini jack) • App Direct
Mode • 9-Band Parametric EO • 6-channel Time Correction • 3-way Crossover

• 24-Bit DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack
Ready • 3 PreCuts (4V) • Hands-free Microphone Included • Quad-Illumination



CDE-W235BT

Advanced Bluctoth® CD Radio Receiver

* 50W x 4 High Power Amp * Bull+in Bluetooth Module * Advanced Bluetooth
Punctions BT Plus) * 8T Audio Steaming * CD R-RRW/MP3/MMA Playback * Front
USB port * Made for iPod and iPhone (requires KCU-445) * App Direct Mode *
Front AUX Inquit § 56mm mini jack* • 9-8 and Parametric CD * Presc ED (11 modes)

* High Pass / Low Pass Filter * Steering Wheel Remote Control Ready * Remote
Control Ready * KITP-445A Power Pack Ready * 1 * Pre-Out (Subwooter Output
Selectable) * 2-Line Large LCD Display * Clock * Hands-free Microphone included

NEW



Advanced CD Receiver

• 50W x 4 high Power Amp • CD-R/RW/MP3/WMA/AAC Playback • High Speed
Front USB port • Front AUX Input (3.5mm min) jack) • App Direct Mode • 3-Band
Parametric EQ • High-pass Filter • 1-Bit DAC • KTP-445A Power Pack Ready • 3PreCuts (2V) • Bass Engine SQ

NEW



CDE-154BT

CDE-154B |
Advanced Bluetooth® CD Receiver

• 36W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module •
Advanced Bluetooth Functions (ST Play) • 5T Audio Streaming • SiriusXM SXV200
Ready • CD-PRYWMF3/WMA/AAC Playback • Rear USB with included USB
extension Cable • Made for iPod and iPhone • Sife types Free Mode • Front AUX
Input (8.5mm mini jack) • App Drect Mode • 9-Band Parametric E0 • 6-channel
Time Correction • 3-way Crossover • 24-Bit DAC • Steering Wheel Remote Control
Ready • KITP-45A Power Pack Ready • 3 Proclus (4)V • Hands-free Microphone
Included • RGB Illumination • 2 Line Display • Bass Engine SQ

NEW



CDE-153BT

CDL= 13301 |
Advanced Blucoth(9 CD Receiver

• 50W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module

• Advanced Bluetooth Encolorus (GI Plus) • BT Audio Streaming • Sirius/M

\$X/200 Ready • CD-FYRWIM/R3VMMA/AAC Playback • Front USB port • Made

for iPod and iPhone (requires KCU-44g) • Stif Eyes Free Mode • Front AUX

forpil (35mm min jack) • App Direct Mode • 9-Bend Parametric ED • 6-channel

Time Correction • 3-wey Crossower • 24-Bit DAC • Steering Wheel Remote

Control Ready • KTP-445A Power Pack Ready • 3 *PeChus (2V) • Hands-free

Microphone Included • Blue Illumination • Bass Engine SQ

Advanced Bluetooth® CD Receiver

* 50W x 4 High Power Amp * Built-in Bluetooth Module * Advanced Bluetooth
Functions (BT Plus) * BT Audio Streaming * CD*-RFW/MPAZ/MMA/AAC Playback

* High Speed USB Connection for Pod or USB sicks * Made for Pod and inPhore

* App Direct Mode * 3-Band Parametric EO * High-pass Filter * 24-Bit DAC *
Steering Wheel Riemote Control Ready * KTP-445A Power Pack Ready * 2 PreOut

[29]



CDE-SXM145BT

Advanced Bluetooth® CD/SiriusXM Receiver

* 50W x 4 High Power Amp * Built-in Bluetooth Module * BT Audio Streaming * SiriusXM
\$XX200 included with Ture Start and Ture Scan * CD-RRW/MP3VMMA/AAC Playback

* Front USB port * Made for iPod and Phone requires KCU-446) * Forth AUX Ingut

(3.5mm min jack) * App Direct Made * Front AUX, Input

(3.5mm min jack) * App Direct Made * Front AUX, Input

(3.5mm min jack) * App Direct BDAC * Steeming Wheel Renote Control Ready

* Parametric Ed * High Pass Filter * 24-BB LDAC * Steeming Wheel Renote Control Ready

* Front Edward * KTP-443 Flower Pack Ready * 2 Prefix (Ely) * finatio-free

* Front Edward * Control Ready * (Traids-free

NEW



UTE-52BT

UTE-32B1
Advanced Bluetoth® Mech-less Digital Receiver

• 50W x 4 High Power Amp • Tunelt 2.0 App Ready • Built-in Bluetooth Module

• Advanced Bluetooth Functions (ST Flus) • ST Audio Streaming • Mech-less • SriusXM SXV200 Ready • MP2-WMA/AAC Playback • Front USB port • Made for iPod and iPhone (requires KCU-445i) • Sir Eyes Fem Mode • Front AUX Input (3.5mm min jack) • App Direct Mode • 9-Band Parametric EQ • G-channel Time Correction • 3-way Crossover • 24-Bt DAC • Steering Wheel Remote Control Ready • KTP-445A Power Pack Ready • 3 PreOuts (2V) • Hands-free Microphone Included • Blue Illumination • Bass Engine SQ

NEW



Advanced Bluetooth® CD Receiver

• 50W x 4 High Power Amp • CD-R/RW/MP3/WMA Playback • High Speed USB

Connection for USB sides • Front AUX Input (3.5mm mini jack) • App Direct Mode

• 3-Band Parametric EQ • High-pass Filler • 1-Bit DAC • KTP-445A Power Pack
Ready • 2 ProCut (ZV) • Bass Fignine SQ



Rear Seat Entertainment & Accessories

Rear Seat Entertainment





PKG-RSE3DVD

10.2" WSVGA Touch Screen Monitor

10.2 "MSVGA Fourhead Monitor with 1.84 Million Pixels * Built-In durable, automotive-grade DVD/CD Player * Built-In FM Modulator * 2 Pair of Wirelses IR Headphones SRS-N106] Include * 2 Aux Input / 1 Aux Out * S-Video Input * Universal Remote Control Included * 3 Color Options (Black, Grey, Beige) Included * DVD-R/RW, DVD-R/ RW, VCD, SVCD, RWMB, JPEG, & MP3 Pleyback



Sound Processing





RUX-C800

PXA-H800

PXA.—IBSUD
System Integration Audio Processor
New ImprintEG sound tuning technology * Euphony/BoadEG/MX+ Sound
Processing *6-Channel HighDw Voltage Inputs for both OEM and Aftermarket
Installation *24-Bit Sigma-Delta D/A Converte *2 x 32-Bit Roating-Point DSP *
31/10 Band (Graphic-Parametric) EQ *8-Channel Full-Range 4V Pre-Quis *2 x
Optical Input *5/N: 1056/E/11058 (Arelag/Delta)



SHS-N206

Dual Source Wireless Headphone

Independent Source Selection • For use with PKG-RSE2 or PKG-M780 • Fold-flat design



Single Source Wireless Headphone





TME-S370

6.5" WVGA Touch Screen Monitor

6.5" WVAA louch Screen Monitor

6.5" High-Liminace WWA Touch Screen • High Picture Quality •
Navi RGB Port Compatible with the NVE-M300 and NVE-N872A
Navigation Systems • Butt-in Speaker for Navigation Vices Quidance •
RCA and Svideo Inputs • Rear camera input with Renerse Wire • Ultra
Slim Design • Easy to Use User Interface • Ambient Light Sensor (Day)
Night • 4 Selectable Background and Illumination Cofors • Touch-sensitive
Hard Keys • Camera Image Filip (Horizontal / Vertica)

System Components



RUE-4202

Audio Remote Control

Remote control for any "Remote Ready" 2005-2011 Alpine head unit or AVN head unit.



RUE-4190

Universal Remote Control

Universal Audio/Navi/DVD/TV Tuner Multi Remote Control.



KCU-230NK



use with X008U or INE-W957HD with the

KCE-SP2R Speaker To RCA Adapter Speaker to RCA adapter for PDR amplifiers • 2-channel capability



KCA-121B

Versatile Link Audio Adapter atible Ai-NET head-units • makes rom any audio source possible (TV





KCE-461iV USB iPod®/iPhone® AV Cable



USB iPod@/iPhone@ Cable ect your iPod or iPhone to the CDA-105 for USB iPod ection • 1-Amp charging capability compatible with all 2012





KCE-400BT Adapter Cable for 2008 Headunits

The following products require a KWE-460E: IVA-W505, IVA-W205, IVA-D106, IVA-W203/P1, CDA-9886, CDA-9887, IDA-X200

Speakers & Subwoofers





5-1/4" Component 2-Way Speaker

CEA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 3.8Ω • Frequency Response: 70Hz-29kHz • Ring Tweeter

SPR-60C

6-1/2" Component 2-Way Speaker

SPR-50

5-1/4" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 90W RMS, 270W Peak Power Handling, Nominal Impedance 3.8Ω • Frequency Response: 70Hz-29kHz

SPR-60

6-1/2" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 3.8Ω • Frequency Response: 65Hz-29kHz

SPR-68

6x8" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 3.8Ω • Frequency Response: 63Hz-29kHz

SPR-69

6x9" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 100W RMS, 300W Peak Power Handling, Nominal Impedance 3.8Ω • Frequency Response: 60Hz-29kHz



SPR-10TW

Type-R 1" Silk Dome Tweeter Set

SPS-619

6x9" Coaxial 3-Way Speaker

CEA-2031 Speaker rating: 85W RMS, 260W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response: 65Hz-23kHz

SPS-510

5-1/4" Coaxial 2-Way Speaker CEA-2031 Speaker rating: 55W RMS, 170W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response:

KTE-S619G

Speaker Grill Speaker Grill pair for the SPS-619

SPS-410

4" Coaxial 2-Way Speaker

SPS-110TW

Type-S 1" Silk Dome Tweeter Set

CEA-2031 Speaker rating: 45W RMS, 140W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response: 97Hz-22kHz

SPS-517 5x7" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 75W RMS, 230W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response:

KTE-S610G

Speaker Grill

Speaker Grill pair for the SPS-610

SPS-610C

6-1/2" Component 2-Way Speaker CEA-2011 Speaker rating: 80W RMS, 240W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 70Hz-22kHz

SPS-406

4x6" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 45W RMS, 140W Peak Power Handling, Nominal Impedance 3.6Ω • Frequency Response: 93Hz-22kHz

SPS-610

6-1/2" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 80W RMS, 240W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response:

KTE-S510G

Speaker Grill

Speaker Grill pair for the SPS-510



SPE-6000

6-1/2" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 60W Maximum RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 68Hz-20kHz

SPE-5000

5-1/4" Coaxial 2-Way Speaker CEA-2031 Speaker rating: 50W RMS, 200W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 82Hz-20kHz

SPE-6090

6x9" Coaxial 2-Way Speaker

CEA-2031 Speaker rating: 75W RMS, 300W Peak Power Handling, Nomina Impedance 4Ω • Frequency Response: 65Hz-18kHz

Subwoofers



SWR-1522D*/SWR-1542D**

15" Subwoofer (*2 Ω +2 Ω) (**4 Ω +4 Ω)

CEA-2031 Speaker Specifications: 750W RMS, 2000W Peak Power Handling • Frequency Response: 18Hz-200Hz • Mounting Depth 9-1/4*

swr-10D2⁻/swr-10D4⁻⁻

10" subwoofer (*2Ω+2Ω) (**4Ω+4Ω)
CEA-2031 Speaker Specifications: 1000W RMS,
3000W Peak Power Handling • Frequency Response:
26Hz-200Hz • Mounting Depth 5-7/8"

swr-T10

10" Thin Subwoofer (4Ω)

CEA-2031 Speaker Specifications: 600W RMS, 1800W Peak Power Handling • Frequency Response: 28Hz-200Hz • Mounting Depth 3-1/4"

SWR-12D2*/SWR-12D4**

12" Subwoofer (*2Ω+2Ω) (**4Ω+4Ω)

CEA-2031 Speaker Specifications: 1000W RMS, 3000W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 6-3/8*

swr-8D2⁻/swr-8D4⁻⁻

8" Subwoofer (*2 Ω +2 Ω) (**4 Ω +4 Ω)

CEA-2031 Speaker Specifications: 350W RMS, 1000W Peak Power Handling • Frequency Response 28Hz-200Hz • Mounting Depth 4-1/2*

SWR-T12

12" Thin Subwoofer (4Ω)

CEA-2031 Speaker Specifications: 600W RMS, 1800W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 3-1/2*



sws-15D2*/sws-15D4**

15" Subwoofer (*2Ω+2Ω) (**4Ω+4Ω)

CEA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 24Hz-200Hz • Mounting Depth 7"

sws-12D2⁻/sws-12D4⁻⁻

12" Subwoofer (*2Ω+2Ω) (**4Ω+4Ω)

CEA-2031 Speaker Specification: 500W RMS, 1500W Peak Power Handling • Frequency Response: 26Hz-200Hz • Mounting Depth 5-7/8"

sws-10D2⁻/sws-10D4⁻⁻

Peak Power Handling • Frequency Response: 28Hz-200Hz • Mounting Depth 5-9/16"





SBR-S8-4

Enclosed Type-R 8" Subwoofer

Includes SWR-8D2 Wired In Series • Ported Enclosure Design • Frequency Response: 28Hz-200Hz • Dimensions 11-1/2" Wide x 19-1/4" Long x 5-1/2" Deep



PWA-S10V

Powered Bassline 10" Subwoofer Enclosure

Includes 20 Bassline sub • Ported Enclosure Design • Frequency Response: 26Hz-400Hz • MRV-M250 Mounted On Box (256W RMS) • RUX-KNOB Compatible • Dimensions 21-1/2" Wide x 13-25/32" Tall x 11-13/16" Deep



Enclosed Truck 10" Subwoofer

2Ω Impedance • Ported Enclosure Design • Frequency Response: 28Hz-200Hz • Dimensions 22* Wide x 16* Tall x 7* Deep



SWA-12S4

12" Subwoofer (4Ω)
CEA-2031 Speaker Specification: 250W RMS, 750W
Peak Power Handling • Frequency Response: 30Hz200Hz • Mounting Depth 5-9/16"

swa-10**S**4

CEA-2031 Speaker Specification: 250W RMS, 750W Peak Power Handling • Frequency Response: 32Hz-200Hz • Mounting Depth 5-5/16"

KTE-12PG



PWE-S8

Compact Powered 8" Subwoofer

RCA and speaker level inputs • 120 watt amp • Frequency Response: 32Hz-150Hz • Dimensions 13-1/2* Wide x 9* Long x 3* Deep



SWT-10S4

10" Shallow Mount Subwoofer (4Ω)

CEA-2031 Speaker Specification: 350W RMS, 1000W Peak Power Handling • Frequency Response: 30Hz-200Hz • Mounting Depth 4-1/8"

SWT-10S2

10" Shallow Mount Subwoofer (2Ω)
CEA-2031 Speaker Specification: 350W RMS, 1000W
Peak Power Handling • Frequency Response: 30Hz200Hz • Mounting Depth 4-1/8"



KTE-12G

Compatible with 12" Type-R and Type-S subwoofers

KTE-10G 10" Woofer Grill Systems

Compatible with 10" Type-R and Type-S subwoofers.

KTE-8G Woofer Grill Systems

Compatible with 8" Type-R subwoofers

Amplifiers & Marine



PDX-M12

Mono Power Density Digital Amplifier

1200W RMS x 1 (4Ω /2Ω, 14.4V, ≤0.04% THD+N) • 92dB S/N (ref: 1W into 4Ω)

PDX-M6

Mono Power Density Digital Amplifier

600W RMS x 1 (4 Ω /2 Ω , 14.4V, \leq 0.02% THD+N) • 95dB S/N (ref: 1W into 4 Ω)





KTP-445U

Universal Head Unit Power Pack

45W RMS x 4 (40, 14.4V, <1% THD+N) • 80dB S/N (ref: TW

into 40) • Compact size (fits easily inside destributed of most
vehicles • Works with any aftermarket and most OEM head
units • Bridgeable • Gain, high-pass crossovers and input
select • 20 States.

PDX-F6

4/3/2 Channel Power Density Digital Amplifier 150W RMS \times 4 (4 Ω /2 Ω , 14.4V, \le 0.05% THD+N) • 94dB S/N (ref: 1W into 4 Ω)

4/3/2 Channel Power Density Digital Amplifier

100W RMS x 4 (4Ω/2Ω, 14.4V, ≤0.05% THD+N) • 95dB S/N (ref: 1W into 4Ω)

5-Channel Power Density Digital Amplifier 100W RMS x 4 + 500 RMS x 1 (4Ω/2Ω, 14.4V, ≤0.05% THD+N) • 94dB S/N (ref: 1W into 4Ω)

MRX-M110

Mono X-Power Digital Amplifier 1100W RMS x 1 (2Ω, 14.4V, \leq 1% THD+N) • 650W RMS x 1 (4Ω, 14.4V, \leq 1% THD+N) • 90dB S/N (ref: 1W into 4Ω)

POWER

MRX-**V70**

5-Channel X-Power Digital Amplifier
90W RMS x 4 + 350 RMS x 1 (2Ω, 14.4V, ≤1%
THD+N) • 60W RMS x 4 + 250 RMS x 1 (4Ω, 14.4V, ≤1% THD+N) • 87dB S/N (ref: 1W into 4Ω)

PDR-M65

Mono Power Density Reference
Digital Amplifier
650W RMS x 1 (2Ω, 14.4V, ≤0.07% THD+N) • 450W
RMS x 1 (4Ω, 14.4V, <0.09% THD+N) • 113dB S/N (ref. 1W into 4Ω)

PDR-F50

| 1/3/2 Channel Power Density Reference |
| Digital Amplifier | 125W FMS x 4 (2Ω, 14.4V, ≤0.07% THD+N) • 85W FMS x 4 (4Ω, 14.4V, ≤0.09% THD+N) • 106dB S/N (ref: 1W into 4Ω)

PDR-V75

5-Channel Power Density Reference Digital Amplifier

Digital Amplifier 100W RMS x 4 + 350 RMS x 1 (2Ω, 14.4V, ≤0.07% THD+N) • 75W RMS x 4 + 250 RMS x 1 (4Ω, 14.4V ≤0.09% THD+N) • 105dB S/N (ref: 1W into 4Ω

MRV-M500

Mono V-Power Digital Amplifier 500W RMS x 1.(2Ω, 14.4V, ≤1% THD+N) • 300W RMS x 1. (4Ω, 14.4V, ≤1% THD+N) • 85dB S/N (ref: 1W into 4Ω)

//-POWER

MRV-M250

Mono V-Power Digital Amplifier 250W RMS x.1 (2Ω, 14.4V, ≤1% THD+N) • 150W RMS x 1 (4Ω, 14.4V, ≤1% THD+N) • 850B S/N (ref: 1W into 4Ω)

MRV-F300

4/3/2 Channel V-Power Digital Amplifier
75W RMS x 4 (2Ω, 14.4V, ≤1% THD+N) * 50W RMS x 4 (4Ω, 14.4V, ≤1% THD+N) * 81dB S/N (ref: 1W into 4Ω)



RUX-KNOB

Remote Bass Knob For PDX, MRX, PDR, & MRV Amplifiers

Add on remote bass level control for PDX-M12, PDX-M6, PDX-V9, MRX-M240, MRX-M110, MRX-M55, MRX-V70, PDR-M65, PDR-V75, MRV-M500, & MRV-250.



KTP-445A

IN 1 F-9-43A Alpine Head Unit Power Pack Alpine Head Unit Power Pack 44W, 114% (4.1% T-10-11) • 82dB S/N (ref: 1W into 40) • Compact size (fits easily inside dashboard of most vehicle) • Vorks with select 2006+ Alpine head units • 2Ω stable



KTP-190U

N. I.F.- I SYUU
Universal Mono Head Unit Power Pack
90W RIMS x 1 (ID, 1.4.W, c.1% THD-N) • 60W RIMS x 1.1(20, 1.4.W, c.1% THD-N) • 30W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1% THD-N) • 80W RIMS x 1 (40, 1.4.W, c.1.W, c.1.W,





PDX-4.100M Marine 4/3/2 Ch. Power Density Digital Amplifier

CEA-2006 Power Rating: 100W FMS x 4 [4/22@14.4½1% THD+N] 76dBA (ref: 1W Into 4Q) Ultra efficient, compact design • UV resistant materials / finish • Corrosion resistant hardware • Salf/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

CEA-2006 Power Rating: 75W RMS x 4 + 300W x1[4/ 2Ω @ 14.4Vs196 THD+N|Full range: 77dBA / Mono: 75dBA (ref: 1W into 4Q)Utra efficient, compact design • UV resistant materials / finish • Corrosion resistant hardware • Sall/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested



RUE-M1RF RF Remote Control for Marine Applications

Includes transmitter and receiver • IPx6 waterproof design • Up to 100ft range • Compatible with all steering wheel remote ready HUS • Controls up to 8 remotes • Salt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested

RUE-M1EX Extra Remote for RUE-M1RF

Add on remote for RUE-M1RF • IPx6 waterproof design • Up to 100ft range • Sall/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested



SPS-M600

6-1/2" Coaxial 2-Way Marine Speaker

6-1/2" Coaxial 2-Way Manne Speaker
CEA-2013 speaker rating; 38W Maximum RMS,
110W Peak Power Handling, Nominal Impedance
44° • Frequency Response: 60Hz-226Hz' • Ultra
UV Resistant Crill • Magnetically Shielded •
Water Resistant Cone • Rubber Surround • IPx5
water resistant degin • Sall/Fog (ASTM B117)
Tested; UV (ASTM D4329) Tested



SWR-M100 10" Marine Subwoofer

CEA-2031 Speaker rating: 300W Maximum RMS, 900W Peak Power Handling, Nominal Impedance 4Ω • Frequency Response: 35Hz-700Hz • Infinite ballife design • Gold-plated 2-way spade/nsert terminals • IPAS water resistant design • Satt/Fog (ASTM B117) Tested; UV (ASTM D4329) Tested



SPR-M700

7" Coaxial 2-way Marine Speaker

CEA-2031 Speaker rating; 50W Maximum RMS, 150W Peak Power Handling, Nominal Impedance 4Q. Frequency Response: 45Hz-22kHz • Swivel Tweeter Mount Design • 1" Titanium Dome Tweeter • IPxS water resistant design • SaitProg (ASTM B117) Tested; UV (ASTM D432) Tested




SPR-M70

7" Component 2-Way Marine Speaker

CEA-2031 Speaker rating: 70W Maximum RMS, 210W-Peak Power Handing, Norninal impedance 40 * Frequency-response: 45Hz - 22Hd+ v Utra Ut Pesistant Griff - Swhel-Tweeter Mount Design * 1" Titanium Dome Tweeter. * IPs5-water resistant design * 58th/Fog (ASTM-B117) Tested; UV-(ASTM D4329) Tested



	CDE-HD149BT	CDE-HD148BT	CDE-154BT	CDE-SXM145BT	CDE-153BT	
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	18W RMS X 4	
Display	3 Line LCD	2 Line LCD	2 Line LCD	1 Line LCD	1 Line LCD	
Bluetooth®	Built-In	Built-In	Built-In	Built-In	Built-In	
BT Audio Streaming	Yes	Yes	Yes	Yes	Yes	
HD Radio®	Built-In	Built-In	No	No	No	
Tunelt App Ready	Yes	Yes	Yes	No	Yes	
Works with iPhone®	Yes	Yes	Yes	Yes	Yes	
Siri Eyes Free Mode	No	No	Yes	No	Yes	
App Direct Mode	Yes	Yes	Yes	Yes	Yes	
USB Input	Rear Panel	Rear Panel	Rear Panel	Front Panel	Front Panel	
Full Android Pandora®	Yes	Yes	Yes	No	Yes	
Control	res	res	res	INO	res	
Full iPhone Pandora®		.,	.,		.,	
Control	Yes	Yes	Yes	No	Yes	
Wireless Remote Ready	Ready	Ready	Ready	Ready	Ready	
Steering Wheel Remote	Yes	Yes	Yes	Yes	Yes	
Ready		165	165	165	165	
iTunes® Tagging	Yes	Yes	Yes	No	Yes	
Preset Button Illumination	Quad-Illumination	Quad-Illumination	Blue	Blue	Blue	
Main Illumination	Quad-Illumination	Quad-Illumination	RGB Illumination	Blue	Blue	
Pre-Outs	3 Pre-Out (4V)	3 Pre-Out (4V)	3 Pre-Out (4V)	2 Pre-Out (2V)	3 Pre-Out (2V)	
DAC	24 Bit	24 Bit	24 Bit	24 Bit	24 Bit	
EQ.	9-Band Parametric	9-Band Parametric	9-Band Parametric	3-Band Parametric	9-Band Parametric	
Crossover	High Pass/Low Pass	High Pass/Low Pass	High Pass/Low Pass	High Pass	High Pass/Low Pass	
Time Correction	Yes	Yes	Yes	No	Yes	
MediaXpander	Yes	Yes	Yes	No	Yes	
Bass Engine SQ	No	No	Yes	No	Yes	
iPod® Cable Included	No	No	No	No	No	
Aux In	Rear Panel	Front Panel	Front Panel	Front Panel	Front Panel	
KTP-445A Ready	Yes	Yes	Yes	Yes	Yes	
SiriusXM SXV200 Ready	Yes	Yes	Yes	Included	Yes	





	X008U/X009U- GM	INE-Z928HD	INE-W927HD	INE-W957HD	ICS-X7HD	INE-W940	IVE-W555BT	
Power	18W RMS X 4	18W RMS X 4	18W RMS X 4					
Display	8" or 9" WVGA	8" WVGA	7" WVGA	7" WVGA	7" WVGA	6.1" WVGA	6.1" WVGA	
Bluetooth®	Built-In	Built-In	Built-In	Built-In	Built-In	Built-In	Built-In	
BT Audio Streaming	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
HD Radio®	Built-In	Built-In	Built-In	Built-In	Built-In	No	No	
Mirrorlink™	No	No	No	No	Yes	No	No	
Tunelt App 2.0	Yes	No	No	Yes	No	No	Yes	
Works with iPhone®	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Siri Eyes Free Mode	Yes	Yes	Yes	Yes	Yes	No	Yes	
USB Input	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
USB Video Playback	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Basic iPhone App Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Full Android Pandora® Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Full iPhone Pandora® Control	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Wireless Remote Ready	Ready	Ready	Ready	Ready	Ready	Ready	Ready	
Steering Wheel Remote Ready	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
iTunes® Tagging	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
Button Illumination	White	White	White	White	White & 4 Color Selectable	White	White	
Color Wallpaper Selection	5 Color Selectable*	5 Color Selectable *	5 Color Selectable*					
Pre-Outs	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (4V)	3 Pre-Outs (2V)	3 Pre-Outs (2V)	3 Pre-Outs (4V)	
DAC	24 Bit	24 Bit	24 Bit					
EQ	9-Band Parametric	9-Band Parametric	9-Band Parametric					
Crossover	High Pass/Low	High Pass/Low	High Pass/Low					
	Pass	Pass	Pass	Pass	Pass	Pass	Pass	
Album Artwork	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
iPod® Cable Included	Yes	Yes	Yes	Yes	No	No	No	
Aux In	2 Aux In	2 Aux In	2 Aux In	2 Aux In	1 Aux In	1 Aux In	1 Aux In	
DVD	Yes	Yes	Yes	Yes	No	Yes	Yes	
KTP-445A Ready	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
SiriusXM SXV200 Ready	Yes	Yes	Yes	Yes	Yes	Yes	No	
Navigation	Built-In	Built-In	Built-In	Built-In	No	Built-In	No	
Aux Out	1 Aux Out	1 Aux Out	1 Aux Out	1 Aux Out	1 Aux Out	No	1 Aux Out	
Rear View Camera Input	Yes	Yes	Yes	Yes	Yes	Yes	Yes	
iDataLink Integration	Yes	No	No	Yes	No	No	No	
HDMI Input	Yes	No	No	Yes	No	No	No	
Optical Out	Yes	No	No	Yes	No	No	No	

^{*} Blue/Red/Amber/Green/Black

^{**} Blue/Red/Amber/Green